

## Richfield Fire

### Incident Type Report (Summary) (Modified)

Alarm Date Between {10/25/2010} And  
{11/02/2010}

Incident Type	Count	Percent
<b>1 Fire</b>		
111 Building fire	1	0.88 %
131 Passenger vehicle fire	1	0.88 %
	<b>2</b>	<b>1.77 %</b>
<b>3 Rescue &amp; Emergency Medical Service Incident</b>		
311 Medical assist, assist EMS crew	1	0.88 %
321 EMS call, excluding vehicle accident with injury	71	62.83 %
322 Motor vehicle accident with injuries	3	2.65 %
323 Motor vehicle/pedestrian accident (MV Ped)	1	0.88 %
324 Motor Vehicle Accident with no injuries	2	1.77 %
	<b>78</b>	<b>69.03 %</b>
<b>4 Hazardous Condition (No Fire)</b>		
412 Gas leak (natural gas or LPG)	1	0.88 %
440 Electrical wiring/equipment problem, Other	2	1.77 %
444 Power line down	4	3.54 %
445 Arcing, shorted electrical equipment	4	3.54 %
	<b>11</b>	<b>9.73 %</b>
<b>5 Service Call</b>		
511 Lock-out	1	0.88 %
531 Smoke or odor removal	3	2.65 %
554 Assist invalid	5	4.42 %
561 Unauthorized burning	1	0.88 %
	<b>10</b>	<b>8.85 %</b>
<b>6 Good Intent Call</b>		
611 Dispatched & cancelled en route	2	1.77 %
621 Wrong location	1	0.88 %
622 No Incident found on arrival at dispatch address	1	0.88 %
651 Smoke scare, odor of smoke	1	0.88 %
671 HazMat release investigation w/no HazMat	1	0.88 %
	<b>6</b>	<b>5.31 %</b>
<b>7 False Alarm &amp; False Call</b>		
735 Alarm system sounded due to malfunction	3	2.65 %
744 Detector activation, no fire - unintentional	2	1.77 %
745 Alarm system activation, no fire - unintentional	1	0.88 %

Richfield Fire

Incident Type Report (Summary) (Modified)

Alarm Date Between {10/25/2010} And  
{11/02/2010}

---

<u>Incident Type</u>	<u>Count</u>	<u>Percent</u>
	6	5.31 %

---

Total Incident Count: 113